



Preckshot Professional Pharmacy

5832 N. Knoxville Ave.
Peoria, IL, USA 61614
309.679.2047
www.preckshotpharmacy.com



SAMPLE: DA90517011-005

METRC/Biotrack#1 dropper bottle **Harvest/Lot ID: PP-19003**
Batch#: 19030, Sample Size: 15 mL -grams
Ordered: 05/16/19 Sampled:05/13/19
Completed: 05/21/19 Expires: 05/21/20
Sampling Method: SOP Client Method

Image



Safety

Pesticides - Passed
Microbials - Passed
Mycotoxins - Passed
Heavy Metals - Passed
Terpenes - Tested
Residual-Solvents - Passed
Filt - Passed
Water Activity - NOT Tested
Moisture - NOT Tested

Cannabinoids

Analyte	Weight(%)	mg/g
D9-THC	0.179	1.790
THCa	ND	ND
TOTAL THC	0.179	1.790
CBD	3.647	36.470
CBDa	ND	ND
TOTAL CBD	3.647	36.470
CBN	ND	ND
CBDV	ND	ND
D8-THC	ND	ND
THCV	ND	ND
CBG	0.025	0.250
CBGa	ND	ND
CBC	0.120	1.200
TOTAL CANNABINOIDS	3.970	39.710

Cannabinoids

0.179% Total THC	3.647% Total CBD
107.40 mg THC/Container	2188.2 mg CBD/Container



Jorge Segredo
Lab Director

State License # n/a
ISO Accreditation #
97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Preckshot Professional Pharmacy

5832 N. Knoxville Ave.
Peoria, IL, USA 61614
309.679.2047
www.preckshotpharmacy.com



SAMPLE: DA90517011-005

METRC/Biotrack#1 dropper bottle Harvest/Lot ID: PP-19003
Batch#: 19030, Sample Size: 15 mL -grams
Ordered: 05/16/19 Sampled: 05/13/19
Completed: 05/21/19 Expires: 05/21/20
Sampling Method: SOP Client Method

Terpenes

Test result %

alpha-Cedrene	ND
alpha-Humulene	ND
alpha-Pinene	ND
alpha-Terpinene	ND
beta-Myrcene	ND
beta-Pinene	ND
Borneol	ND
Camphene	ND
Camphor	ND
Caryophyllene oxide	ND
Cedrol	ND
alpha-Bisabolol	0.110
Isopulegol	ND
cis-Nerolidol	ND
3-Carene	ND
Fenchyl Alcohol	ND
Hexahydrothymol	ND
Eucalyptol	ND
Isoborneol	ND
Farnesene	0.186
Fenchone	ND
gamma-Terpinene	ND
Geraniol	ND
Geranyl acetate	ND
Guaiol	ND
Limonene	ND
Linalool	ND
Nerol	ND
Ocimene	ND
alpha-Phellandrene	ND
Pulegone	ND
Sabinene	ND
Sabinene hydrate	ND
Terpineol	ND
Terpinolene	ND
trans-Caryophyllene	0.126
trans-Nerolidol	ND
Valencene	ND
Total	0.42





Preckshot Professional Pharmacy

5832 N. Knoxville Ave.
Peoria, IL, USA 61614
309.679.2047
www.preckshotpharmacy.com



SAMPLE: DA90517011-005

METRC/Biotrack#1 dropper bottle **Harvest/Lot ID: PP-19003**
Batch#: 19030, Sample Size: 15 mL -grams
Ordered: 05/16/19 Sampled: 05/13/19
Completed: 05/21/19 Expires: 05/21/20
Sampling Method: SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Type
Daminozide	0.02	1	ND	ppm	Plant growth regulator
Acephate	0.01	0.4	ND	ppm	Insecticide
Flonicamid	0.01	1	ND	ppm	Pyridine Insecticide, Aphicide
Oxamyl	0.01	1	ND	ppm	Carbamate Insecticide, Acaricide, Nematicide
Methomyl	0.01	0.4	ND	ppm	Carbamate Insecticide, Acaricide, Metabolite
Thiamethoxam	0.01	0.2	ND	ppm	Neonicotinoid Insecticide
Imidacloprid	0.01	0.4	ND	ppm	Neonicotinoid Insecticide
Dimethoate	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Acetamiprid	0.01	0.2	ND	ppm	Insecticide
Thiacloprid	0.01	0.2	ND	ppm	Neonicotinoid Insecticide, Molluscicide
Aldicarb	0.02	0.4	ND	ppm	Insecticide, Nematicide
Dichlorvos	0.05	0.1	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Propoxur	0.01	0.2	ND	ppm	Carbamate Insecticide, Acaricide
Carbofuran	0.01	0.2	ND	ppm	Insecticide, Nematicide
Carbaryl	0.01	0.2	ND	ppm	Insecticide
Imazalil	0.01	0.2	ND	ppm	Imidazole Fungicide
Metalaxyl	0.01	0.2	ND	ppm	Phenylamide Fungicide
Chlorantraniliprole	0.01	0.2	ND	ppm	Insecticide
Phosmet	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Spiroxamine	0.01	0.4	ND	ppm	Morpholine Fungicide
Naled	0.01	0.5	ND	ppm	Organophosphate Insecticide, Acaricide
Methiocarb	0.01	0.2	ND	ppm	Carbamate Insecticide, Molluscicide, Bird repellent
Azoxystrobin	0.01	0.2	ND	ppm	Fungicide
Paclobotrazol	0.01	0.4	ND	ppm	Triazole Plant growth regulator; Fungicide
Malathion	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Myclobutanil	0.01	0.2	ND	ppm	Triazole Fungicide
Bifenazate	0.01	0.2	ND	ppm	Insecticide
Spirotetramat	0.02	0.2	ND	ppm	Tetramic acid Insecticide
Ethoprophos	0.01	0.2	ND	ppm	Insecticide, Nematicide
Fenoxycarb	0.01	0.2	ND	ppm	Carbamate Insecticide
Kresoxim-methyl	0.01	0.4	ND	ppm	Strobilurin Fungicide, Bactericide
Tebuconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Diazanone	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Repellent



Preckshot Professional Pharmacy

5832 N. Knoxville Ave.
Peoria, IL, USA 61614
309.679.2047
www.preckshotpharmacy.com



SAMPLE: DA90517011-005

METRC/Biotrack#1 dropper bottle Harvest/Lot ID: PP-19003
Batch#: 19030, Sample Size: 15 mL -grams
Ordered: 05/16/19 Sampled:05/13/19
Completed: 05/21/19 Expires: 05/21/20
Sampling Method: SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Type
Propiconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Clofentezine	0.01	0.2	ND	ppm	Tetrazine Acaricide
Spinosad (Spinosyn A)	0.01	0.2	ND	ppm	Insecticide
Prallethrin	0.05	0.2	ND	ppm	Synthetic pyrethroid Insecticide
Trifloxystrobin	0.01	0.2	ND	ppm	Strobilurin Fungicide
Piperonyl butoxide	0.01	3	ND	ppm	Cyclic aromatic; Performance enhancer, Synergist
Chlorpyrifos	0.01	0.2	ND	ppm	Organophosphate Insecticide
Hexythiazox	0.01	1	ND	ppm	Carboxamide Acaricide
Etoxazole	0.01	0.2	ND	ppm	Diphenyl oxazoline Acaricide
Spiromesifen	0.01	0.2	ND	ppm	Tetronic acid Insecticide
Pyrethrins (Pyrethrin I)	0.01	1	ND	ppm	Insecticide
Fenpyroximate	0.01	0.4	ND	ppm	Pyrazolium Acaricide, Insecticide
Pyridaben	0.01	0.2	ND	ppm	Pyridazinone Insecticide, Acaricide
Permethrins	0.05	0.2	ND	ppm	Pyrethroid Insecticide
Abamectin B1a	0.02	0.5	ND	ppm	Insecticide
Etofenprox	0.01	0.4	ND	ppm	Pyrethroid Insecticide
Bifenthrin	0.01	0.2	ND	ppm	Acaricide, Insecticide
Fludioxonil	0.01	0.4	ND	ppm	Phenylpyrrole Fungicide
Fipronil	0.02	0.4	ND	ppm	Phenylpyrazole Insecticide
Cypermethrin	0.02	1	ND	ppm	Pyrethroid Insecticide, Veterinary substance
Mevinphos	0.01	0.1	ND	ppm	Organophosphate Insecticide, Acaricide
Dimethomorph	0.01	0.1	ND	ppm	Morpholine Fungicide
Coumaphos	0.01	0.2	ND	ppm	Insecticide
Spinosad (Spinosyn D)	0.01	0.2	ND	ppm	Insecticide

Jorge Segredo
Lab Director

State License # n/a
ISO Accreditation #
97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Preckshot Professional Pharmacy

5832 N. Knoxville Ave.
Peoria, IL, USA 61614
309.679.2047
www.preckshotpharmacy.com



SAMPLE: DA90517011-005

METRC/Biotrack#1 dropper bottle **Harvest/Lot ID: PP-19003**
Batch#: 19030, Sample Size: 15 mL -grams
Ordered: 05/16/19 Sampled:05/13/19
Completed: 05/21/19 Expires: 05/21/20
Sampling Method: SOP Client Method

Residual solvent	Action Level(ppm)	Pass/Fail	Results(ppm)
Hexanes (2,3-dimethylbutane)	290	Pass	ND
1,4-Dioxane	380	Pass	ND
Pentanes (iso-pentane)	5000	Pass	ND
Pentanes (neo-pentane)	5000	Pass	ND
Butanes (iso-butane)	5000	Pass	ND
2-Butanol	5000	Pass	ND
2-Ethoxyethanol	160	Pass	ND
2-Propanol	5000	Pass	ND
Acetone	5000	Pass	ND
Acetonitrile	410	Pass	ND
Benzene	1	Pass	ND
Butanes (n-butane)	5000	Pass	ND
Cyclohexane	3880	Pass	ND
Dichloromethane	600	Pass	ND
Hexanes (2,2-dimethylbutane)	290	Pass	ND
Xylenes-O (1,2-dimethylbenzene)	2170	Pass	ND
Xylenes-M (1,3-dimethylbenzene)	2170	Pass	ND
Xylenes-P (1,4-dimethylbenzene)	2170	Pass	ND
Ethanol	5000	Pass	ND
Ethyl acetate	5000	Pass	ND
Ethylbenzene	2170	Pass	ND
Ethyl ether	5000	Pass	ND
Ethylene Oxide	50	Pass	ND
Heptane	5000	Pass	ND
n-Hexane	290	Pass	ND
Isopropyl acetate	5000	Pass	ND
Methanol	3000	Pass	ND
Hexanes (2-methylpentane)	290	Pass	ND
Hexanes (3-methylpentane)	290	Pass	ND
Pentanes (n-pentane)	5000	Pass	ND
Propane	5000	Pass	ND
Tetrahydrofuran	720	Pass	ND
Toluene	1068	Pass	ND
Xylenes	2170	Pass	ND

Jorge Segredo
Lab Director

State License # n/a
ISO Accreditation #
97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Preckshot Professional Pharmacy

5832 N. Knoxville Ave.
Peoria, IL, USA 61614
309.679.2047
www.preckshotpharmacy.com



SAMPLE: DA90517011-005

METRC/Biotrack# I dropper bottle **Harvest/Lot ID: PP-19003**
Batch#: 19030, Sample Size: 15 mL -grams
Ordered: 05/16/19 Sampled: 05/13/19
Completed: 05/21/19 Expires: 05/21/20
Sampling Method: SOP Client Method

Cannabinoid Profile Test Result-Analysis Method :SOP.T.40.020, SOP.T.30.050

Reagent LOT ID
052019.R02
051619.R17
051619.R16

Dilution
10

Analytical Batch: DA003429

Consumables Id
180711
SFN-BX-1025
849C4-849AK
840C6-840H

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

Filth and foreign Materials-Analysis Method :SOP.T.40.013

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is use for inspection.

Mycotoxin Analysis-Analysis Method :SOP.T.30.065, SOP.T.40.065

Analyte	Results
Aflatoxin G2	ND
Aflatoxin G1	ND
Aflatoxin B2	ND
Aflatoxin B1	ND
Ochratoxin A+	ND

Analytical Batch: DA003427

Action Level
0.02
0.02
0.02
0.02
0.02

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.065 for Sample Preparation and SOP.T.40.065 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflatoxin B1, B2, G1, G2) must be <20µg/Kg. Ochratoxins must be <20µg/Kg.

Micro Analysis-Analysis method :SOP.T.40.043

Pathogens

Aspergillus_terreus_IJ2
Aspergillus_niger
Aspergillus_fumigatus
Aspergillus_flavus
Salmonella_specific_gene
Escherichia_coli_Shigella_spp_

Results

not present in 1 gram.
not present in 1 gram.
not present in 1 gram.
not present in 1 gram.
not present in 1 gram.
not present in 1 gram.

Analytical Batch: DA003401

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.



4131 SW 47th AVENUE SUITE
1408
DAVIE, FL 33314
1-954-368-7664
info@eviolabsfl.com

State License # n/a
ISO Accreditation #
97164

Jorge Segredo
Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.





<p>PHARM CBD PO Box 182 BEDFORD KY, USA 40006 (860) 810-5594 BBUTLER@PHARM-CBD.COM</p>			<p>SAMPLE:DA90517011-005 METRC/Biotrack#1 dropper bottle Harvest/Lot ID: 19030 Batch#: 19030, Sample Size: 15 mL -grams Ordered: 05/16/19 Sampled:05/13/19 Completed: 05/21/19 Expires: 05/21/20 Sampling Method:SOP Client Method</p>
---	--	--	--

Pesticide Analysis-Analysis Method:SOP.T.30.065, SOP.T.40.065

Reagent LOT/ID	Dilution
051619.R11	1

Analytical Batch :DA003426

Consumables ID
180711
280653964

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 57 Pesticides. (Method: SOP.T.30.065 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.065 Procedure for Pesticide Quantification Using LCMS).

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

Reagent LOT/ID	Dilution
	50

Analytical Batch: DA003430

Consumables ID

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Metal	Result	Action-Level
Arsenic	ND	1.500
Cadmium	ND	0.500
Lead	ND	0.500
Mercury	ND	3

Abbreviation:ppm=Parts Per Million

Residual SolventsAnalysis Method:SOP.T.40.032

Analytical Batch :DA003402

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 34 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).


Terpenes screening-Analysis-Method:SOP.T.40.090

Analytical Batch :DA003403

Terpenoid profile screening is performed using GC-MS with Liquid Injection (Gas Chromatography – Mass Spectrometer) which can screen 38 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.



4131 SW 47th AVENUE SUITE
1408
DAVIE, FL 33314
1-954-368-7664
info@eviolabsfl.com



State License # n/a
ISO Accreditation #
97164

Jorge Segredo
Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.

